

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L4	2	(OFDM near3 receive\$3 or orthonal\$4 near3 subcarrier\$1 or orthogonal\$4 near3 sub adj1 carrier\$1 or plural\$3 near3 subcarrier\$1 or plural\$3 near2 sub adj1 carrier\$1 or multi\$3 near2 subcarrier\$1 or multi\$3 near2 sub adj1 carrier\$1) same (quality near3 metric\$1 or metric\$1 near3 RSSI or signal adj2 strength\$1 near3 metric\$1)	USPAT; US-P GPUB ; EPO; JPO	2004/06/30 21:19	
5	BRS	L5	8	(OFDM or subcarrier\$1 or sub adj1 carrier\$1 or orthognal adj2 frequenc\$3 adj2 division) same (quality near3 metric\$1 or metric\$1 near3 RSSI or signal adj2 strength\$1 near3 metric\$1)	USPAT; US-P GPUB ; EPO; JPO	2004/06/30 21:27	
6	BRS	L6	12	(OFDM or subchannel\$1 or sub adj1 channel\$1 or multicarrier\$1 or multi adj1 carrier\$1 or plural\$3 adj2 carrier\$1 or DMT or multitone\$1 or multi\$3 adj1 tone\$1) same (quality near3 metric\$1 or metric\$1 near3 RSSI or signal adj2 strength\$1 near3 metric\$1)	USPAT; US-P GPUB ; EPO; JPO	2004/06/30 21:26	

	Error Definition	Er ro rs
4		0
5		0
6		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	648	(OFDM or subchannel\$1 or sub adj1 channel\$1 or multicarrier\$1 or multi adj1 carrier\$1 or plural\$3 adj2 carrier\$1 or DMT or multitone\$1 or multi\$3 adj1 tone\$1 or IFFT or fourier adj2 transform\$8) same (quality near3 metric\$1 or metric\$1 or RSSI or signal adj2 strength\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:27	
8	BRS	L8	577	(OFDM or subcarrier\$1 or sub adj1 carrier\$1 or orthognal adj2 frequenc\$3 adj2 division or IFFT or fourier adj2 transform\$8) same (quality near3 metric\$1 or metric\$1 or RSSI or signal adj2 strength\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:28	
9	BRS	L9	756	7 or 8	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:28	

	Error Definition	Er ro rs
7		0
8		0
9		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	27	9 and (suppress\$3 near3 subcarrier\$1 or suppress\$4 near3 sub adj1 carrier\$1 or reduc\$5 near3 subcarrier\$1 or reduc\$5 near3 sub adj2 carrier\$1 or eliminat\$3 near3 subcarrier\$1 or eliminat\$3 near3 sub adj2 carrier\$1 or subtract\$3 near3 subcarrier\$1 or subtract\$3 near3 sub adj2 carrier\$1 or cancel\$4 near3 subcarrier\$1 or cancel\$4 near3 sub adj2 carrier\$1)	USPAT; US-P GPUB ; EPO; JPO	2004/06/30 21:40	
11	BRS	L11	19	9 and (remov\$3 near3 subcarrier\$1 or remov\$3 near3 sub adj2 carrier\$1)	USPAT; US-P GPUB ; EPO; JPO	2004/06/30 21:44	
12	BRS	L12	576	(OFDM or subcarrier\$1 or sub adj2 carrier\$1 or subchannel\$1 or sub adj2 channel\$1 or orthogonal near3 carrier\$1 or DMT near4 carrier\$1 or DMT near4 subcarrier\$1 or OFDM near3 carrier\$1 or multitone\$1 or multi\$3 adj2 tone\$1) same (metric\$1 or RSS\$1 or signal adj2 qualit\$3 or signal adj2 strength\$1 or qualit\$3 near2 energ\$3)	USPAT; US-P GPUB ; EPO; JPO	2004/06/30 21:48	

	Error Definition	Er ro rs
10		0
11		0
12		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	L13	5870	(OFDM or subcarrier\$1 or sub adj2 carrier\$1 or subchannel\$1 or sub adj2 channel\$1 or orthogonal near3 carrier\$1 or DMT near4 carrier\$1 or DMT near4 subcarrier\$1 or OFDM near3 carrier\$1 or multitone\$1 or multi\$3 adj2 tone\$1) same (suppress\$3 or reudc\$4 or eliminat\$4 or remov\$3 or cancel\$8)	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:50	
14	BRS	L14	275	12 and 13	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:50	
15	BRS	L15	106	12 same 13	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:50	
16	BRS	L16	3440	(OFDM or subcarrier\$1 or sub adj2 carrier\$1 or subchannel\$1 or sub adj2 channel\$1 or orthogonal near3 carrier\$1 or DMT near4 carrier\$1 or DMT near4 subcarrier\$1 or OFDM near3 carrier\$1 or multitone\$1 or multi\$3 adj2 tone\$1) with (suppress\$3 or reudc\$4 or eliminat\$4 or remov\$3 or cancel\$8)	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:58	

	Error Definition	Er ro rs
13		0
14		0
15		0
16		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	L17	208	12 and 16	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:51	
18	BRS	L18	52	12 same 16	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:51	
19	BRS	L19	5056	(OFDM or subcarrier\$1 or sub adj2 carrier\$1 or subchannel\$1 or sub adj2 channel\$1 or orthogonal near3 carrier\$1 or DMT near4 carrier\$1 or DMT near4 subcarrier\$1 or OFDM near3 carrier\$1 or multitone\$1 or multi\$3 adj2 tone\$1) with (suppress\$3 or reduc\$4 or eliminat\$4 or remov\$3 or cancel\$8)	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:58	
20	BRS	L20	46	(OFDM or subcarrier\$1 or sub adj2 carrier\$1 or subchannel\$1 or sub adj2 channel\$1 or orthogonal near3 carrier\$1 or DMT near4 carrier\$1 or DMT near4 subcarrier\$1 or OFDM near3 carrier\$1 or multitone\$1 or multi\$3 adj2 tone\$1) with (suppress\$3 or reduc\$4 or eliminat\$4 or remov\$3 or cancel\$8) with (metric\$1 or signal\$1 near2 qualit\$3 or signal\$1 near2 strength\$1)	USPAT; US-PGPUB; EPO; JPO	2004/06/30 21:59	

	Error Definition	Er ro rs
17		0
18		0
19		0
20		0